

Standard Maintenance Requirements

- These requirements are for Hyundai vehicles operating under normal usage conditions.
- Hyundai vehicles operating under severe operating conditions will require more frequent inspections and maintenance intervals and replacement items, see page 2 for more details.

Petrol Turbo Vehicles¹

Gasoline Direct Injection (GDI) Hybrid Models

- o Kona (SX2) Turbo (N-Line AWD)
- o Santa Fe (MX5) Turbo (2.5ℓ)

Maintenance Intervals every 10,000km or 12-months (whichever occurs first)

I = INSPECT, **C**LEAN & **R**EPLACE AS NECESSARY
R = REPLACE, **S** = SAVE, **C** = CLEAN, **L** = LUBRICATE
T = TIGHTEN TO SPECIFIED TORQUE

¹ This Standard Maintenance Requirements Excludes Petrol (MPI) and Hybrid Models.

Core Service	Engine oil and engine oil Filter	R	Core Service	Torque wheels	T
	Interior cabin / Pollen filter	I		Body and under body/chassis condition	I
	Engine air filter	I		Engine drive belts condition	I
	Brake pedal and parking brake/EPB operation	I		Condition & security of accessories, towbar etc	I
	Brake fluid level	I		Differential oil (front and/or rear as applicable)	I
	Engine coolant level	I		Transfer box fluid (if applicable)	I
	Air conditioning system operation	I		Exhaust system & mountings	I
	Electrical equipment operation (lights, wipers etc)	I		Campaign/recalls/nav map update (if available)	I
	12-Volt Battery condition & test	I		eReport – Hyundai diagnostic tool (GDS-SMART)	S
	Cooling and heater system hoses	I		Road Test	
	Tyre (x4) condition and pressures	I	ADD-ONS		
	Spare tyre condition & pressure &/or repair kit	I	H1	Interior Cabin / Pollen Filter	R
	Wheel bearing condition	I	H2	Brake Fluid Replacement	R
	Front brake pads & disc condition	I	H3	Engine Air Filter	R
	Rear brake pads & disc condition	I	H4	Fuel Filter	R
	Driveline system, incl CV Boots	I	H5	Spark Plugs	R
	Fuel tank, fuel lines and connections	I	H6	Coolant	R
	Front and rear suspension components	I	H7	Wheel Alignment	when required I
	Front suspension ball joints & dust covers condition	I	H8	Tyre Rotation & Balance	when required I
	Steering system, linkages, rack, rubber boots	I	H9	A/C Service (R134a Type)	when required I
	Transmission (Auto, CVT, DCT) visual leak inspection	I	H10	Hybrid Starter Generator Belt	-
	Brake pipes & hoses condition	I			

	Age (Yrs)	KMs Travelled	Hyundai Recommended Maintenance Items Replacement Intervals			
			Intervals will change for severe operating conditions			
Standard Maintenance Intervals (By Vehicle Age or Km's Travelled, WHICHEVER OCCURS FIRST)	1	10,000	Core Service			
	2	20,000	Core Service			
	3	30,000	Core Service	+ H1	+ H2	+ H3
	4	40,000	Core Service			
	5	50,000	Core Service			
	6	60,000	Core Service	+ H1	+ H2	+ H3
	7	70,000	Core Service			+ H5
	8	80,000	Core Service			
	9	90,000	Core Service	+ H1	+ H2	+ H3
	10	100,000	Core Service			+ H6
	11	110,000	Core Service			
	12	120,000	Core Service	+ H1	+ H2	+ H3

Interval Details :

- "Core Service" is required at each interval and includes replacement items and inspections as per the requirements above.
- Add-on item "H1, H2 & H3" - Replace every 30,000km or 24-months (whichever comes first) as per the manufacturer's maintenance schedule. Customer pays capped menu price, which includes genuine parts, labour, and GST.
- Add-on item "H4" for these models is considered a maintenance free item.
- Add-on item "H5" - Replace every 70,000km or 84-months (whichever comes first) as per the manufacturer's maintenance schedule. Customer pays capped menu price, which includes genuine parts, labour, and GST.
- Add-on item "H6" - Replace every 100,000km or 120-months (whichever comes first) as per the manufacturer's maintenance schedule. Customer pays capped menu price, which includes genuine parts, labour, and GST.
- Add-on items "H7 ~ H9" are inspected at each interval. Dealer will provide the necessary customer recommendations. Customer to pay for replacement items and Technician labour as per capped menu pricing.
- Add-on items "H10" – not applicable for this powertrain type.

Severe Operating Maintenance Requirements – Petrol Turbo HEV

Hyundai vehicles operating under severe operating conditions will require more frequent inspections and maintenance intervals and replacement items. Generally the maintenance intervals for severe operating conditions are half of the standard maintenance intervals (eg: [standard] every 10,000km or 12-months → [severe] 5,000km or 6-months)

Severe Operating Conditions

- a) **Repeated short distance driving less than 8km in summer or less than 16km in winter.**
 - Engine oil and oil filter: reduced replacement interval.
- b) **Extensive engine idling**
 - Engine oil and oil filter: reduced replacement interval.
- c) **Driving in dusty areas**
 - Engine oil and oil filter: reduced replacement interval.
 - Air filter: more frequent inspections and replacement intervals - if required.
 - Interior cabin / Pollen filter : more frequent inspections and replacement intervals - if required.
 - Brake discs & pads : more frequent inspections.
 - Brake fluid: more frequent inspections for signs of contamination.
- d) **Driving in areas using salt or other corrosive materials or in very wintry weather.**
 - Engine oil and oil filter: reduced replacement interval.
 - Brake discs & pads : more frequent inspections.
 - Brake fluid: more frequent inspections for signs of contamination.
 - Underbody & associated components : more frequent inspections for signs of corrosion.
- e) **Driving in sandy areas**
 - Engine oil and oil filter: reduced replacement interval.
 - Air filter: more frequent inspections and replacement intervals - if required.
 - Interior cabin / Pollen filter : Inspect more frequently and replacement intervals - if required.
 - Brake discs & pads : more frequent inspections.
 - Brake fluid: more frequent inspections for signs of contamination.
- f) **More than 50% driving in heavy traffic during hot weather**
 - Engine oil and oil filter: reduced replacement interval.
 - Transmission oil : Inspect more frequently and replacement intervals - if required.
- g) **Driving in mountainous areas**
 - Engine oil and oil filter: reduced replacement interval.
 - Transmission oil : Inspect more frequently and replacement intervals - if required.
 - Brake discs & pads : more frequent inspections.
- h) **Towing a trailer at max towing capacity (if applicable)**
 - Engine oil and oil filter: reduced replacement interval.
 - Transmission oil : Inspect more frequently and replacement intervals - if required.
 - Brake discs & pads : more frequent inspections.